















*Instruments, American Institute of Physics*, vol. 85, no. 6, June 2014 doi:10.1063/1.4883997

[2] J. M. Kuhlman, G. M. Molen, "Performance of high-power gas-flow spark gaps", *American Institute of Aeronautics and Astronautics*, vol. 24, no. 7, 1986, doi:10.2514/3.9400

[3] W. J. Thayer, V. C. H. Lo, and A. K. Cousins, "Recovery of a high pulse rate spark gap switch," *IEEE Conference Record of the 1988 Eighteenth Power Modulator Symposium*, Hilton Head, SC, USA, 1988 pp. 257-264, doi: 10.1109/MODSYM.1988.26281.

[4] L. Xiaolang, Y. Zhang, C. Ma, and L. Liu, "Spark resistance under high-speed gas flow in the oscillatory damped regime of discharge", *Physics of Plasmas, American Institute of Physics*, vol. 25, no. 6, 2018 <https://doi.org/10.1063/1.5043312>

[5] V. M. Shibkov, L. Shibkova, and A. A. Logunov, "Effect of the Air Flow Velocity on the Characteristics of a Pulsating Discharge Produced by a DC Power Source". *Plasma Physics Reports*. vol. 44, no. 8. pp. 754-765, 2018, doi:10.1134/S1063780X18080056.

[6] A. A. Logunov, K. N. Kornev, L. V. Shibkova, and V. M. Shibkov, V. "Influence of the Interelectrode Gap on the Main Characteristics of a Pulsating Transverse-Longitudinal Discharge in High-Velocity Multicomponent Gas Flows." *High Temperature*. vol. 59, no. 1, pp. 19-26, 2021, doi: 10.1134/S0018151X21010119.

[7] V.M Shibkov, K.N. Kornev, A.A. Logunov, and Y. K. Nesterenko, "Gas Heating under Conditions of Pulsating Transverse-Longitudinal Discharge in Subsonic and Supersonic Airflows." *Plasma Phys. Rep.* vol. 48, no. 7 pp. 798-805, 2022. doi: 10.1134/S1063780X22700246

[8] S. Asao, M. Yamakawa, K. Sawanoi, and S. Takeuchi, "Flight Simulation of Water Rocket" *International Journal of Computational Methods*, Special Issue: ICCM 2020, World Scientific Publishing Co. vol. 19, no. 7, doi:10.1142/S0219876221410176

[9] A. Sarani, A. Y. Nikiforov, and C. Leys, "Atmospheric pressure plasma jet in Ar and Ar/H<sub>2</sub>O mixtures: Optical emission spectroscopy and temperature measurements", *Phys. Plasmas*, vol. 17, no. 6, 2010, <https://doi.org/10.1063/1.3439685>

[10] V. K. Unnikrishnan, K. Alti, V. B. Kartha, C. Santosh, G. P. Gupta, and B. M. Suri. "Measurements of plasma temperature and electron density in laser-induced copper plasma by time-resolved spectroscopy of neutral atom and ion emissions". *Pramana - J Phys*, vol. 74, no. 6, pp. 983-993 2010, doi:10.1007/s12043-010-0089-5

[11] I. Prisyazhnevych, V. Chernyak, S. Olzewski, and V. Yukhymenko, "Plasma properties of transverse blowing arc under atmospheric pressure," *Chem. List.*, vol. 102, no. 16, pp. 1403-1407, 2008.

[12] S. Gershman, A. Belkind and K. Becker, "Optical emission diagnostics of the plasma channel in a pulsed electrical discharge in a gas bubble," *2009 IEEE Pulsed Power Conference*, Washington, DC, USA, 2009, pp. 838-843, doi: 10.1109/PPC.2009.5386370.

[13] N. Zhang, F. Sun, L. Zhu, M. P. Planche, H. Liao, C. Dong, and C. Coddet, "Electron Temperature and Density of the Plasma Measured by Optical Emission Spectroscopy in VLPPS Conditions" *Journal of Thermal Spray Technology*, vol. 20 pp. 1321 - 1327, 2011-doi: 10.1007/s11666-011-9681-6. T.

[14] T. Billoux, V. Boretskij, Y. Cressault, A. Gleizes, P. Teulet, and A. Veklich, "Emission spectrum of the electric arc discharge in CO<sub>2</sub> between copper electrodes," *Proc. International Symposium Plasma Chemistry (ISPC) 2013*, pp. 1-4.

[15] C. O. Laux, T. G. Spence, C. H. Kruger and R. N. Zare, "Optical diagnostics of atmospheric pressure air plasmas," *Plasma Sources Sci. Technol.*, vol. 12, no. 2, pp. 125 - 138, 2003, doi:10.1088/0963-0252/12/2/301

[16] NIST Atomic Spectra Database - 'https://www.nist.gov/pml/atomic-spectra-database' Visited 9<sup>th</sup> May 2023.

[17] R. Zollweg and R. W. Liebermann, "Electrical conductivity of non-ideal plasmas", *Journal of Applied Physics, American Institute of Physics*, vol. 62, no. 9, pp. 3621 - 3627, 1987, doi:10.1063/1.339265

[18] T. Shao, G. Sun, P. Yan, W. Jue, Y. Weiqun, S. Yaohong and Z. Shichang 'An experimental investigation of repetitive nanosecond-pulse breakdown in air', *J. Phys. D, Appl. Phys.*, vol. 39, no. 10, pp. 2192 - 2197, 2006, doi:10.1088/0022-3727/39/10/030

[19] B. Huang, K. Takashima, X. Zhu, Y. Pu, "The influence of the repetition rate on the nanosecond pulsed pin-to-pin micro discharges", *J. Phys. D, Appl. Phys.*, IOP Publishing, vol. 47, no. 42, 2014 doi: 10.1088/0022-3727/47/42/422003

[20] C. Zhang, T. Shao, P. Yan, and Y. Zhou, "Nanosecond-pulse gliding discharges between point-to-point electrodes in open air". *Plasma Sources Science and Technology*. vol. 23, no. 3, 2014, 035004. doi: 10.1088/0963-0252/23/3/035004.

[21] M. Eves, D. Kilpatrick and P Edwards. "A Literature Review on SF<sub>6</sub> Gas Alternatives for use on the Distribution Network." *Next Generation*

*Networks*, Western Power Distribution, 2018. Available online: <https://www.westernpower.co.uk/downloads/5857> (accessed on 17 May 2023).

[22] M. Wisler, O. Johns, E. Breden, J. Calhoun, F. Gruner, R. Hohlfelder, T. Mulville, D. Muron, B. Stoltzfus, and W. Stygar, "Field-Distortion Air-Insulated Switches for Next-Generation Pulsed-Power Accelerators". *Sandia National Lab United States*: 2017. Web. doi:10.2172/1395749.



**Ruairidh W. Macpherson** (M'23) was born in Inverness, Scotland, in 1990. He received his B.Eng. (Hons.), MPhil and PhD degrees from the University of Strathclyde in 2016, 2019 and 2023 respectively. Where he is currently working with the High Voltage Technologies Group, Department of Electronic and Electrical Engineering. His research interests include work in pulsed power technologies, corona-stabilised switches, environmentally friendly gas dielectrics, surface flashover of gas-solid interfaces within sub-optimal environmental conditions and HVAC,

HVDC and impulsive plasma characterisation.



**Igor V. Timoshkin** (M'07-SM'14) received the degree in physics from Moscow State University, Moscow, Russia, in 1992, and the Ph.D. degree from the Imperial College of Science, Technology, and Medicine (ICSTM), London, U.K., in 2001. He was a Researcher with Moscow State Agro-Engineering University, Moscow, and the Institute for High Temperatures of the Russian Academy of Sciences, Moscow. In 1997, he joined ICSTM. He joined the Department of Electronic and Electrical Engineering,

University of Strathclyde, Glasgow, U.K., in 2001, where he became a Reader in 2016. His research interests include dielectric materials, pulsed power, transient spark discharges, and environmental applications of non-thermal plasma discharges. Dr. Timoshkin was a Voting Member of the Pulsed Power Science and Technology Committee in the IEEE Nuclear and Plasma Science Society (2017-2021); currently he is a member of the International Advisory Committee of the IEEE Conference on Dielectric Liquids and the International Scientific Committee of the Gas Discharges and their Applications Conference; a Subject Editor of IET Nanodielectrics and a member of the Editorial Board of MDPI Energies.



**Mark P. Wilson** (M'10) was born in Stranraer, Scotland, in 1982. He received the B.Eng. (with honours), M.Phil., and Ph.D. degrees in electronic and electrical engineering from the University of Strathclyde, Glasgow, U.K., in 2004, 2007, and 2011, respectively. He is presently based in the High Voltage Technologies research group at the University of Strathclyde, where his research interests include interfacial surface flashover, nanodielectrics, and the practical applications of high-power ultrasound, corona discharges, and pulsed electric fields. Mark is a member of the IEEE Nuclear and Plasma Sciences Society, from whom he received a Graduate Scholarship Award in 2011, the IEEE Dielectrics and Electrical Insulation Society, and the IET.



**Graeme M. Burt** (M'95) received the B.Eng. degree in electrical and electronic engineering, and the Ph.D. degree in fault diagnostics in power system networks from the University of Strathclyde, Glasgow, U.K., in 1988 and 1992, respectively. He is a distinguished professor of electrical power systems in the Department of Electronic and Electrical Engineering at the University of Strathclyde, UK, where he directs the Institute for Energy and Environment. His research interests span decentralised and hybrid energy systems, electrification of propulsion, and experimental validation of advanced power systems. Professor Burt is lead academic for the PNDC, a MW-scale innovation and testing infrastructure, and director of the Rolls-Royce UTC in Electrical Power Systems. He serves on the IEEE TF on Cloud-Based Control and Co-Simulation of Multi-Party Resources in Energy Internet, the CIRED WG for DC Distribution Networks, EERA JP in Smart Grids, SAB of the Clean Aviation Joint Undertaking, and the Board of the Association of European Distributed Energy Resources Laboratories (DERlab eV.).